

# Uncoated Book / Cover

Uncoated Book / Cover.....	1
Accent Opaque.....	3
Accent Opaque Cover.....	7
Astrobrights ♻️.....	10
Astrobright Cover ♻️.....	11
Finch Opaque Text.....	13
Finch Opaque Cover.....	13
Hammermill Opaque Colors.....	14
Hammermill Opaque Cover Colors.....	15
PI Offset Text Skids.....	16
Soporset Offset Text Packages.....	17
Soporset Offset Text Skids.....	18
Soporset Offset Cover Packages.....	19
Soporset Offset Cover Skids.....	20
Springhill Opaque Colors ♻️.....	21
Springhill Opaque Cover Colors ♻️.....	21
Williamsburg Opaque Offset.....	22
Williamsburg Return Postcard.....	24

This page intentionally left blank.



# Accent Opaque

#1 Opaque Offset from Sylvamo

FSC® Certified

97 Brightness

Basis: 25x38

## White - Smooth Finish

Wt.	S	Size	MW	CP	Cal.	Op.	GSM	1 Ctn	16 Ctn
<b>40</b>		<b>CWT</b>			<b>3.1</b>	<b>89</b>	<b>59</b>	<b>242.67</b>	<b>217.78</b>
	Mill	23 x <b>29</b>	56	2600				135.90	121.96
		23 x <b>35</b>	68	2200				165.02	148.09
	Mill	25 x <b>38</b>	80	2000				194.14	174.22
<b>50</b>		<b>CWT</b>			<b>3.9</b>	<b>92</b>	<b>74</b>	<b>223.30</b>	<b>200.40</b>
	Mill	19 x <b>25</b>	50	3200				111.65	100.20
		23 x <b>35</b>	85	1800				189.81	170.34
	Mill	25 x <b>38</b>	100	1600				223.30	200.40
<b>60</b>		<b>CWT</b>			<b>4.6</b>	<b>94</b>	<b>89</b>	<b>218.74</b>	<b>196.31</b>
		19 x <b>25</b>	60	2400				131.24	117.79
	Mill	23 x <b>29</b>	84	1800				183.74	164.90
		23 x <b>35</b>	102	1500				223.11	200.24
		25 x <b>38</b>	120	1200				262.49	235.57
	Mill	28 x <b>40</b>	142	900				310.61	278.76
<b>70</b>		<b>CWT</b>			<b>5.3</b>	<b>95</b>	<b>104</b>	<b>218.74</b>	<b>196.31</b>
		19 x <b>25</b>	70	2400				153.12	137.42
	Mill	23 x <b>29</b>	98	1600				214.37	192.38
		23 x <b>35</b>	119	1200				260.30	233.61
		25 x <b>38</b>	140	1000				306.24	274.83
		28 x <b>40</b>	166	800				363.11	325.87
<b>80</b>		<b>CWT</b>			<b>6.1</b>	<b>96</b>	<b>118</b>	<b>218.74</b>	<b>196.31</b>
		19 x <b>25</b>	80	2000				174.99	157.05
	Mill	23 x <b>29</b>	112	1400				244.99	219.87
		23 x <b>35</b>	136	1100				297.49	266.98
		25 x <b>38</b>	160	1000				349.98	314.10
	Mill	28 x <b>40</b>	188	800				411.23	369.06
<b>100</b>		<b>CWT</b>			<b>7.6</b>	<b>97</b>	<b>148</b>	<b>218.74</b>	<b>196.31</b>
	Mill	19 x <b>25</b>	100	1500				218.74	196.31
		23 x <b>35</b>	169	900				369.67	331.76
		25 x <b>38</b>	200	800				437.48	392.62
	Mill	28 x <b>40</b>	236	600				516.23	463.29

Note: 40# is 92 Brightness

Continued on next page...

# Accent Opaque

#1 Opaque Offset from Sylvamo

FSC® Certified

97 Brightness

Basis: 25x38



## White - Smooth Finish

Mill Skids	40	50	60	70	80
17.5 x 22.5			17000		
19 x 25		20000	17000	15000	
23 x 35	12500	10000	8500	7500	6500
25 x 38	12500	10000		7500	6500
28 x 40	12500	10000	8500	7500	6500
Stock Skids	40	50	60	70	80
25 x 38			8500		

## White - Vellum Finish

Wt.	S	Size	MW	CP	Cal.	Op.	GSM	1 Ctn	16 Ctn
<b>60</b>		<b>CWT</b>			<b>5.1</b>	<b>94</b>	<b>89</b>	<b>218.74</b>	<b>196.31</b>
	Mill	23 x 35	102	1500				223.11	200.24
	Mill	25 x 38	120	1200				262.49	235.57
<b>70</b>		<b>CWT</b>			<b>5.9</b>	<b>95</b>	<b>104</b>	<b>218.74</b>	<b>196.31</b>
	Mill	23 x 35	119	1200				260.30	233.61
	Mill	25 x 38	140	1000				306.24	274.83
<b>80</b>		<b>CWT</b>			<b>6.8</b>	<b>96</b>	<b>118</b>	<b>218.74</b>	<b>196.31</b>
	Mill	23 x 35	136	1100				297.49	266.98
	Mill	25 x 38	160	1000				349.98	314.10

Continued on next page...



**Warm White - Smooth Finish**

Wt.	S	Size	MW	CP	Cal.	Op.	GSM	1 Ctn	16 Ctn
<b>60</b>		<b>CWT</b>			<b>4.6</b>	<b>93.5</b>	<b>89</b>	<b>222.16</b>	<b>199.38</b>
		23 x <b>35</b>	102	1500				226.60	203.37
	Mill	25 x <b>38</b>	120	1200				266.59	239.26
<b>70</b>		<b>CWT</b>			<b>5.3</b>	<b>94.5</b>	<b>104</b>	<b>222.16</b>	<b>199.38</b>
		23 x <b>35</b>	119	1200				264.37	237.26
		25 x <b>38</b>	140	1000				311.02	279.13
<b>80</b>		<b>CWT</b>			<b>6.1</b>	<b>96</b>	<b>118</b>	<b>222.16</b>	<b>199.38</b>
	Mill	23 x <b>35</b>	136	1100				302.14	271.16
	Mill	25 x <b>38</b>	160	1000				355.46	319.01
	Mill	28 x <b>40</b>	188	800				417.66	374.83

**30% Recycled – Smooth Finish ♻️**

95 Brightness

Wt.	S	Size	MW	CP	Cal.	Op.	GSM	1 Ctn	16 Ctn
<b>60</b>		<b>CWT</b>			<b>4.7</b>	<b>93.5</b>	<b>89</b>	<b>242.67</b>	<b>217.78</b>
	Mill	23 x <b>35</b>	102	1500				247.52	222.14
	Mill	25 x <b>38</b>	120	1200				291.20	261.34
<b>70</b>		<b>CWT</b>			<b>5.4</b>	<b>94.5</b>	<b>104</b>	<b>242.67</b>	<b>217.78</b>
	Mill	23 x <b>35</b>	119	1200				288.78	259.16
	Mill	25 x <b>38</b>	140	1000				339.74	304.89
<b>80</b>		<b>CWT</b>			<b>6.2</b>	<b>96</b>	<b>118</b>	<b>242.67</b>	<b>217.78</b>
	Mill	25 x <b>38</b>	160	1000				388.27	348.45
<b>100</b>		<b>CWT</b>			<b>7.6</b>	<b>97</b>	<b>148</b>	<b>242.67</b>	<b>217.78</b>
	Mill	25 x <b>38</b>	200	800				485.34	435.56

*Continued on next page...*

# Accent Opaque

#1 Opaque Offset from Sylvamo

FSC® Certified

97 Brightness

Basis: 25x38



## White- Super Smooth

Wt.	S	Size	MW	CP	Cal.	Op.	GSM	1 Ctn	16 Ctn
<b>70</b>		<b>CWT</b>		<b>4.8</b>	<b>94</b>	<b>104</b>		<b>227.86</b>	<b>204.49</b>
	Mill	25 x <b>38</b>	140	1200				319.00	286.29
	Mill	28 x <b>40</b>	166	1000				378.25	339.45
<b>80</b>		<b>CWT</b>		<b>5.5</b>	<b>96</b>	<b>118</b>		<b>227.86</b>	<b>204.49</b>
	Mill	25 x <b>38</b>	160	1000				364.58	327.18
	Mill	28 x <b>40</b>	188	800				428.38	384.44
<b>100</b>		<b>CWT</b>		<b>6.7</b>	<b>97</b>	<b>148</b>		<b>227.86</b>	<b>204.49</b>
	Mill	25 x <b>38</b>	200	800				455.72	408.98
	Mill	28 x <b>40</b>	236	600				1075.50	965.19



# Accent Opaque Cover

#1 Opaque Cover from Sylvamo

FSC® Certified

97 Brightness

Basis: 20x26

## White - Smooth Finish

Wt.	S	Size	MW	CP	Cal.	Op.	GSM	1 Ctn	16 Ctn
<b>65</b>		<b>CWT</b>			<b>8.8</b>	<b>98</b>	<b>176</b>	<b>223.30</b>	<b>200.40</b>
	Mill	20 x <b>26</b>	130	1000				290.29	260.52
		23 x <b>35</b>	201	750				448.83	402.80
	Mill	25 x <b>38</b>	238	600				531.45	476.95
		26 x <b>40</b>	260	500				580.58	521.04
	Mill	28 x <b>40</b>	280	500				625.24	561.12
<b>80</b>		<b>CWT</b>			<b>10.9</b>	<b>99</b>	<b>216</b>	<b>223.30</b>	<b>200.40</b>
	Mill	19 x <b>25</b>	146	1000				326.02	292.58
		20 x <b>26</b>	160	1000				357.28	320.64
		23 x <b>35</b>	248	500				553.78	496.99
	Mill	25 x <b>38</b>	292	500				652.04	585.17
		26 x <b>40</b>	320	500				714.56	641.28
	Mill	28 x <b>40</b>	344	400				768.15	689.38
<b>100</b>		<b>CWT</b>			<b>13.9</b>	<b>99</b>	<b>271</b>	<b>230.14</b>	<b>206.53</b>
	Mill	19 x 25	183	800				421.16	377.95
		20 x 26	200	800				460.28	413.06
	Mill	23 x <b>35</b>	310	400				713.43	640.24
	Mill	25 x <b>38</b>	366	400				842.31	755.90
		26 x <b>40</b>	400	400				920.56	826.12
	Mill	28 x <b>40</b>	431	350				991.90	890.14
<b>120</b>		<b>CWT</b>			<b>16.0</b>	<b>99</b>	<b>325</b>	<b>282.54</b>	<b>253.56</b>
	Mill	20 x <b>26</b>	240	700				678.10	608.54
	Mill	23 x <b>35</b>	372	350				1051.05	943.24
	Mill	35 x <b>23</b>	372	350				1051.05	943.24
		26 x <b>40</b>	480	350				1356.19	1217.09
	Mill	28 x <b>40</b>	516	300				1457.91	1308.37
<b>130</b>		<b>CWT</b>			<b>17.5</b>	<b>99</b>	<b>346</b>	<b>325.84</b>	<b>292.42</b>
		28 x <b>40</b>	560	250				1824.70	1637.55

Continued on next page...

# Accent Opaque Cover

#1 Opaque Cover from Sylvamo

FSC® Certified

97 Brightness

Basis: 20x26



## White - Smooth Finish

Mill	Skids	65	80	100	130
	23 x <b>35</b>	4000	3600	2500	
	25 x <b>38</b>			2500	
	26 x <b>40</b>	4000	3600	2500	
	28 x <b>40</b>			2500	2000

## White - Super Smooth Finish

Wt.	S	Size	MW	CP	Cal.	Op.	GSM	1 Ctn	16 Ctn
<b>65</b>		<b>CWT</b>			<b>8.0</b>	<b>98</b>	<b>176</b>	<b>232.41</b>	<b>208.58</b>
	Mill	20 x <b>26</b>	130	1000				302.13	271.15
	Mill	26 x <b>40</b>	260	500				604.27	542.31
<b>80</b>		<b>CWT</b>			<b>10.0</b>	<b>99</b>	<b>216</b>	<b>232.41</b>	<b>208.58</b>
	Mill	20 x <b>26</b>	160	1000				371.86	333.73
	Mill	23 x <b>35</b>	248	500				576.38	517.28
	Mill	26 x <b>40</b>	320	500				743.71	667.46
<b>100</b>		<b>CWT</b>			<b>12.0</b>	<b>99</b>	<b>271</b>	<b>232.41</b>	<b>208.58</b>
	Mill	23 x <b>35</b>	310	400				720.47	646.60
	Mill	26 x <b>40</b>	400	400				929.64	834.32

*Continued on next page...*





# Accent Opaque Cover

#1 Opaque Cover from Sylvamo

FSC® Certified

Basis: 20x26

## White - Vellum Finish

97 Brightness

Wt.	S	Size	MW	CP	Cal.	Op.	GSM	1 Ctn	16 Ctn
<b>65</b>		<b>CWT</b>			<b>9.6</b>	<b>98</b>	<b>176</b>	<b>223.30</b>	<b>200.40</b>
	Mill	23 x <b>35</b>	201	750				448.83	402.80
	Mill	26 x <b>40</b>	260	500				580.58	521.04
<b>80</b>		<b>CWT</b>			<b>12.0</b>	<b>99</b>	<b>216</b>	<b>223.30</b>	<b>200.40</b>
		23 x <b>35</b>	248	500				553.78	496.99
	Mill	26 x <b>40</b>	320	500				714.56	641.28

## Warm White - Smooth Finish

Wt.	S	Size	MW	CP	Cal.	Op.	GSM	1 Ctn	16 Ctn
<b>65</b>		<b>CWT</b>			<b>8.8</b>	<b>98</b>	<b>176</b>	<b>226.72</b>	<b>203.47</b>
		23 x <b>35</b>	201	750				455.71	408.97
	Mill	26 x <b>40</b>	260	500				589.47	529.02
<b>80</b>		<b>CWT</b>			<b>10.9</b>	<b>99</b>	<b>216</b>	<b>226.72</b>	<b>203.47</b>
		23 x <b>35</b>	248	500				562.27	504.61
	Mill	26 x <b>40</b>	320	500				725.50	651.10
<b>100</b>		<b>CWT</b>			<b>13.9</b>	<b>99</b>	<b>271</b>	<b>226.72</b>	<b>203.47</b>
		23 x <b>35</b>	310	400				702.83	630.76
	Mill	26 x <b>40</b>	400	400				906.88	813.88

## 30% Recycled - Smooth Finish

95 Brightness

Wt.	S	Size	MW	CP	Cal.	Op.	GSM	1 Ctn	16 Ctn
<b>65</b>		<b>CWT</b>			<b>8.8</b>	<b>98</b>	<b>176</b>	<b>247.23</b>	<b>221.87</b>
	Mill	23 x <b>35</b>	201	750				496.93	445.96
<b>80</b>		<b>CWT</b>			<b>10.9</b>	<b>99</b>	<b>216</b>	<b>247.23</b>	<b>221.87</b>
	Mill	26 x <b>40</b>	320	500				791.14	709.98
<b>100</b>		<b>CWT</b>			<b>13.9</b>	<b>99</b>	<b>271</b>	<b>247.23</b>	<b>221.87</b>
	Mill	26 x <b>40</b>	400	400				988.92	887.48

Bright Colored Offset from Neenah Papers  
 FSC® Certified

 30% Post Consumer Waste

*Basis: 25x38*

**Eclipse Black**

Wt.	S	Size	MW	CP	Cal.	Op.	GSM	1 Ctn	16 Ctn
<b>60</b>		<b>CWT</b>			4.8		89	<b>514.78</b>	<b>457.58</b>
	Mill	23 x <b>35</b>	102	1000				525.08	466.73
	Mill	23 x <b>38</b>	120	1000				617.74	560.08

**Stardust White**

Wt.	S	Size	MW	CP	Cal.	Op.	GSM	1 Ctn	16 Ctn
<b>60</b>		<b>CWT</b>			4.8		89	<b>385.43</b>	<b>342.60</b>
	Mill	23 x <b>35</b>	102	1000				393.14	349.45

**Stock Colors:** Cosmic Orange, Fireball Fuchsia, Galaxy Gold, Gamma Green, Lift-Off Lemon, Lunar Blue, Martian Green, Orbit Orange, Outrageous Orchid, Planetary Purple, Plasma Pink, Pulsar Pink, Re-Entry Red, Rocket Red, Solar Yellow, Terra Green, Terrestrial Teal

**Mill Colors:** Celestial Blue, Gravity Grape, Sunburst Yellow, Venus Violet, Vulcan Green

Wt.	S	Size	MW	CP	Cal.	Op.	GSM	1 Ctn	16 Ctn
<b>60</b>		<b>CWT</b>			4.8		89	<b>372.81</b>	<b>331.39</b>
		23 x <b>35</b>	102	1000				380.27	338.02
	Mill	25 x <b>38</b>	120	1000				447.37	397.67

**Note:** 25 x 38 not available in Gravity Grape, Outrageous Orchid, Planetary Purple, Rocket Red, Sunburst Yellow, Terrestrial Teal, or Venus Violet.

**Note:** Not all colors are recycled.



# Astrobright Cover

Bright Colored Cover from Neenah Papers  
FSC® Certified

 30% Post Consumer Waste  
Basis: 20x26

## Blastoff Blue

Wt.	S	Size	MW	CP	Cal.	Op.	GSM	1 Ctn	16 Ctn
<b>65</b>		<b>CWT</b>			9.4		176	<b>395.95</b>	<b>351.95</b>
		23 x <b>35</b>	201	500				795.86	707.42
	Mill	26 x <b>40</b>	260	500				1029.47	915.07

## Eclipse Black

Wt.	S	Size	MW	CP	Cal.	Op.	GSM	1 Ctn	16 Ctn
<b>65</b>		<b>CWT</b>			9.4		176	<b>496.72</b>	<b>457.58</b>
	Mill	23 x <b>35</b>	201	500				998.41	919.74
	Mill	26 x <b>40</b>	260	500	300			1291.47	1189.71
<b>80</b>		<b>CWT</b>			11.6		216	<b>521.09</b>	<b>463.19</b>
	Mill	23 x <b>35</b>	248	500				1292.30	1148.71
		26 x <b>40</b>	320	300				1667.49	1482.21

## Stardust White

Wt.	S	Size	MW	CP	Cal.	Op.	GSM	1 Ctn	16 Ctn
<b>65</b>		<b>CWT</b>			9.4		176	<b>385.43</b>	<b>342.60</b>
	Mill	23 x <b>35</b>	201	500				774.71	688.63

*Continued on next page...*

# Astrobright Cover

Bright Colored Cover from Neenah Papers

FSC® Certified

 30% Post Consumer Waste

Basis: 20x26



**Stock Colors:** Celestial Blue, Cosmic Orange, Fireball Fuchsia, Galaxy Gold, Gamma Green, Lift-Off Lemon, Lunar Blue, Martian Green, Orbit Orange, Pulsar Pink, Re-Entry Red, Rocket Red, Solar Yellow, Sunburst Yellow, Terra Green, Terrestrial Teal, Venus Violet, Vulcan Green

**Mill Colors:** Gravity Grape, Outrageous Orchid, Planetary Purple, Plasma Pink, Venus Violet

Wt.	S	Size	MW	CP	Cal.	Op.	GSM	1 Ctn	16 Ctn
<b>65</b>		<b>CWT</b>			9.1		175	<b>372.81</b>	<b>331.39</b>
		23 x <b>35</b>	201	500				749.35	666.09
		35 x <b>23</b>	201	500				749.35	666.09
	Mill	26 x <b>40</b>	260	500				969.31	861.61
<b>80</b>		<b>CWT</b>			11.6		216	<b>381.22</b>	<b>338.87</b>
	Mill	23 x <b>35</b>	248	500				945.43	840.40
	Mill	26 x <b>40</b>	320	500				1219.90	1084.38

**Note:** 35 x 23 – 65# available in Solar Yellow only.

**Note:** Not all colors are recycled.

**Note:** 23x35-80# available in Solar Yellow only.

**Note:** 26x40-65# not available in Gravity Grape, Outrageous Orchid, Plasma Pink, Venus Violet

**Note:** 26x40-80# available in Cosmic Orange, Solar Yellow, Re-Entry Red, and Terra Green only.

# Finch Opaque Text

From Finch  
FSC® Certified & SFI Certified  
96 Brightness

## Bright White - Smooth Finish

Wt.	S	Size	MW	CP	Cal.	Op.	GSM	1 Ctn	16 Ctn
60		CWT			4.3	95	89	222.16	199.38
		25 x 38	120	1200				266.59	239.26
70		CWT			5.0	96	104	222.16	199.38
		25 x 38	140	1000				311.02	279.13
80		CWT			5.7	96	118	222.16	199.38
		23 x 35	136	1000				302.14	271.16

# Finch Opaque Cover

From Finch  
FSC® Certified & SFI Certified

## Bright White - Smooth Finish

96 Brightness

Wt.	S	Size	MW	CP	Cal.	Op.	GSM	1 Ctn	16 Ctn
65		CWT			9.3	~100	176	224.44	201.42
		23 x 35	201	750				451.12	404.85
80		CWT			11.7	~100	216	224.44	201.42
		23 x 35	248	500				556.61	499.52
100		CWT			14.6	~100	270	229.00	205.51
		23 x 35	310	500				709.90	637.08
100		CWT			14.6	~100	270	229.00	205.51
		26 x 40	400	400				916.00	822.04

## Vanilla - Smooth Finish

Wt.	S	Size	MW	CP	Cal.	Op.	GSM	1 Ctn	16 Ctn
80		CWT			11.7	99	216	231.28	207.55
		23 x 35	248	500				573.57	514.72

# Hammermill Opaque Colors

Colored Offset from Sylvamo

SFI Certified

Basis: 25x38

## Colors

Wt.	S	Size	MW	CP	Cal.	Op.	GSM	1 Ctn	16 Ctn
50		CWT			4.0		74	238.25	198.34
		23 x 35	85	1800				202.51	168.59

Stock Colors: Blue, Canary, Cream, Pink

Wt.	S	Size	MW	CP	Cal.	Op.	GSM	1 Ctn	16 Ctn
50		CWT			4.1		74	238.25	198.34
	Mill	25 x 38	100	1600				238.25	198.34

Mill Colors: Blue, Canary, Cream

Wt.	S	Size	MW	CP	Cal.	Op.	GSM	1 Ctn	16 Ctn
60		CWT			5.0		89	234.80	195.47
		23 x 35	102	1500				239.50	199.38

Stock Colors: Blue, Canary, Cream, Goldenrod, Gray, Green, Pink

Wt.	S	Size	MW	CP	Cal.	Op.	GSM	1 Ctn	16 Ctn
60		CWT			5.0		89	234.80	195.47
		25 x 38	120	1200				281.76	234.56

Stock Colors: Blue, Canary, Cream, Pink

Mill Colors: Goldenrod, Gray, Green

*Continued on next page...*

# Hammermill Opaque Cover Colors

Colored Cover from Sylvamo

SFI Certified

*Basis: 20x26*

## Colors

Wt.	S	Size	MW	CP	Cal.	Op.	GSM	1 Ctn	16 Ctn
65		CWT			9.9	98	176	244.01	203.13
		23 x 35	201	750				490.46	408.29

**Stock Colors:** Blue, Canary, Cream, Green

# PI Offset Text Skids

92 Brightness

## 50 CWT

17.5 x <b>22.5</b>	41	20000
19 x <b>25</b>	50	20000
23 x <b>35</b>	85	10000
24 x <b>36</b>	91	10000
25 x <b>38</b>	100	10000
28 x <b>40</b>	118	10000

## 60 CWT

17.5 x <b>22.5</b>	50	17000
19 x <b>25</b>	60	17000
23 x <b>35</b>	102	8500
25 x <b>38</b>	120	8500
28 x <b>40</b>	141	8500

## 70 CWT

17.5 X <b>22.5</b>	58	15000
19 X <b>25</b>	70	15000
23 X <b>35</b>	119	7500
25 x <b>38</b>	135	7500
28 x <b>40</b>	159	7500





# Soporset Offset Text Packages

Premium Opaque Offset from Navigator

97 Brightness

FSC® Certified

Wt.	S	Size	MW	Cal.	Op.	GSM	PKG	SKID
<b>50</b>				<b>3.9</b>	<b>92.0</b>	<b>75</b>		
	Mill	17.5 x <b>22.5</b>	41				500	28000
	Mill	19 x <b>25</b>	50				500	28000
	Mill	23 x <b>35</b>	85				500	14000
	Mill	25 x <b>38</b>	100				500	14000
	Mill	28 x <b>40</b>	118				500	14000
<b>60</b>				<b>4.6</b>	<b>95.0</b>	<b>90</b>		
	Mill	17.5 x <b>22.5</b>	50				500	24000
	Mill	19 x <b>25</b>	60				500	24000
	Mill	23 x <b>29</b>	84				500	12000
	Mill	23 x <b>35</b>	102				500	12000
	Mill	25 x <b>38</b>	120				500	12000
	Mill	28 x <b>40</b>	141				500	12000
<b>67.5</b>				<b>5.0</b>	<b>96.0</b>	<b>100</b>		
	Mill	17.5 X <b>22.5</b>	56				500	22000
	Mill	19 X <b>25</b>	68				500	22000
	Mill	23 x <b>35</b>	115				500	11000
	Mill	25 x <b>38</b>	135				500	11000
	Mill	28 x <b>40</b>	159				500	11000
<b>80</b>				<b>5.9</b>	<b>98.0</b>	<b>120</b>		
	Mill	19 x <b>25</b>	80				500	19000
	Mill	23 x <b>35</b>	136				500	9500
	Mill	25 x <b>38</b>	160				500	9500
	Mill	28 x <b>40</b>	189				500	9500

# Soporset Offset Text Skids

Premium Opaque Offset from Navigator

97 Brightness

FSC® Certified



<b>Wt.</b>	<b>S</b>	<b>Size</b>	<b>MW</b>	<b>Cal.</b>	<b>Op.</b>	<b>GSM</b>	<b>SKID</b>
<b>50</b>		<b>CWT</b>		<b>3.94</b>	<b>92</b>	<b>75</b>	
		17.5 x <b>22.5</b>	41				28000
		19 x <b>25</b>	50				28000
		23 x <b>35</b>	85				9500
		25 x <b>38</b>	100				9500
		28 x <b>40</b>	118				9500
<b>60</b>		<b>CWT</b>		<b>4.57</b>	<b>95</b>	<b>90</b>	
		17.5 x <b>22.5</b>	50				24000
		19 x <b>25</b>	60				24000
	Mill	23 x <b>29</b>	84				12000
		23 x <b>35</b>	102				7500
		25 x <b>38</b>	120				7500
		28 x <b>40</b>	141				7500
<b>67.5</b>		<b>CWT</b>		<b>5.04</b>	<b>96</b>	<b>100</b>	
	Mill	17.5 X <b>22.5</b>	56				22000
		19 X <b>25</b>	68				22000
	Mill	23 x <b>35</b>	115				7000
	Mill	25 x <b>38</b>	135				7000
	Mill	28 x <b>40</b>	159				7000
<b>80</b>		<b>CWT</b>		<b>5.91</b>	<b>98</b>	<b>120</b>	
	Mill	19 x <b>25</b>	80				19000
	Mill	23 x <b>35</b>	136				6000
	Mill	25 x <b>38</b>	160				6000
	Mill	28 x <b>40</b>	189				6000

# Soporset Offset Cover Packages

From Navigator  
 97 Brightness  
 FSC® Certified



<b>Wt.</b>	<b>S</b>	<b>Size</b>	<b>MW</b>	<b>Cal.</b>	<b>Op.</b>	<b>GSM</b>	<b>PK</b>	<b>SKID</b>
<b>65</b>				<b>8.1</b>	<b>99</b>	<b>176</b>		
	Mill	20 x <b>26</b>	130				250	9000
	Mill	23 x <b>35</b>	201				250	4500
	Mill	26 x <b>40</b>	260				125	4500
<b>80</b>				<b>10.0</b>	<b>100</b>	<b>217</b>		
	Mill	20 x <b>26</b>	160				250	6500
	Mill	23 x <b>25</b>	248				125	3250
		26 x <b>40</b>	320				125	3250



# Soporset Offset Cover Skids

From Navigator  
97 Brightness  
FSC® Certified

<b>Wt.</b>	<b>S</b>	<b>Size</b>	<b>MW</b>	<b>Cal.</b>	<b>Op.</b>	<b>GSM</b>	<b>SKID</b>
<b>65</b>				<b>8.1</b>	<b>99</b>	<b>176</b>	
	Mill	23 x <b>35</b>	201				4500
	Mill	26 x <b>40</b>	260				4500
<b>80</b>				<b>10.0</b>	<b>100</b>	<b>217</b>	
	Mill	20 x <b>26</b>	160				6500
	Mill	23 x <b>25</b>	248				3250
		26 x <b>40</b>	320				3250

## Springhill Opaque Colors

Colored Offset from Sylvamo  
SFI Certified

 10% Post Consumer Waste  
*Basis: 25x38*

**Note: Springhill Opaque is now Hammermill Opaque.**

### Colors

Wt.	S	Size	MW	CP	Cal.	Op.	1 Ctn	16 Ctn
50		CWT			4.0		238.25	198.34
		23 x 35	85	1800			202.51	168.59

**Stock Colors:** Green, Ivory

**Note:** No longer being replenished after current inventory is depleted.

Wt.	S	Size	MW	CP	Cal.	Op.	1 Ctn	16 Ctn
60		CWT			5.0		234.80	195.47
		23 x 35	102	1500			239.50	199.38

**Stock Colors:** Tan

**Note:** No longer being replenished after current inventory is depleted.

## Springhill Opaque Cover Colors

Colored Cover from Sylvamo  
SFI Certified

 10% Post Consumer Waste  
*Basis: 20x26*

**Note: Springhill Opaque Cover is now Hammermill Opaque Cover.**

# Williamsburg Opaque Offset

Commodity Offset from Sylvamo

SFI Certified

94 Brightness

Basis: 25x38

## White – Smooth Finish

Wt.	S	Size	MW	CP	Cal.	Op.	GSM	1 Ctn	16 Ctn
<b>50</b>		<b>CWT</b>			<b>3.9</b>	<b>90</b>	<b>74</b>	<b>196.31</b>	<b>176.68</b>
		17.5 x <b>22.5</b>	41	4200				80.49	72.44
		19 x <b>25</b>	50	3400				98.16	88.34
	Mill	23 x <b>29</b>	70	2000				137.42	123.68
		23 x <b>35</b>	85	1800				166.86	150.18
		25 x <b>38</b>	100	1600				196.31	176.68
		28 x <b>40</b>	118	1300				231.65	208.48
<b>60</b>		<b>CWT</b>			<b>4.5</b>	<b>92</b>	<b>89</b>	<b>191.63</b>	<b>172.47</b>
	Mill	17.5 x <b>22.5</b>	50	3200				95.82	86.24
		19 x <b>25</b>	60	2600				114.98	103.48
		23 x <b>29</b>	84	1800				160.97	144.87
		23 x <b>35</b>	102	1500				195.46	175.92
		25 x <b>38</b>	120	1300				229.96	206.96
		28 x <b>40</b>	142	1100				272.11	244.91
<b>70</b>		<b>CWT</b>			<b>5.3</b>	<b>94</b>	<b>104</b>	<b>191.63</b>	<b>172.47</b>
		17.5 x <b>22.5</b>	58	2400				111.15	100.03
		19 x <b>25</b>	70	2000				134.14	120.73
	Mill	23 x <b>29</b>	98	1500				187.80	169.02
		23 x <b>35</b>	119	1300				228.04	205.24
		25 x <b>38</b>	140	1100				268.28	241.46
		28 x <b>40</b>	166	1000				318.11	286.30

*Continued on next page...*

# Williamsburg Opaque Offset

Commodity Offset from Sylvamo

SFI Certified

94 Brightness

*Basis: 25x38*

## White – Smooth Finish

Press Ready Skids

<b>Stock Skids</b>	<b>50</b>	<b>60</b>	<b>70</b>
17.5 x <b>22.5</b>	20000	17000	
19 x <b>25</b>	20000	17000	
23 x <b>35</b>	10000	8500	7500
25 x <b>38</b>	10000	8500	7500
28 x <b>40</b>		8500	

<b>Mill Skids</b>	<b>50</b>	<b>60</b>	<b>70</b>
17.5 x <b>22.5</b>			15000
19 x <b>25</b>			15000
23 x <b>29</b>	10000	8500	
24 x <b>36</b>	10000	8500	7500
25 x <b>38</b>			
28 x <b>40</b>	10000		7500

# Williamsburg Return Postcard

From Sylvamo  
SFI Certified  
92 Brightness  
*Basis: 25x38*

## White – Hi Bulk

Wt.	S	Size	MW	CP	Cal.	Op.	GSM	1 Ctn	16 Ctn
<b>7 pt.</b>		<b>CWT</b>			7.4	95	111	<b>200.98</b>	<b>180.88</b>
		23 x <b>35</b>	127	1200				255.24	229.72
		25 x <b>38</b>	150	1000				301.47	271.32
<b>9 pt.</b>		<b>CWT</b>			9.5	97	144	<b>205.66</b>	<b>185.09</b>
Mill		23 x <b>35</b>	164	900				337.28	303.55
		25 x <b>38</b>	194	800				398.98	359.07

<b>Mill Skids</b>									<b>7 pt.</b>
		25 x <b>38</b>							5500

<b>Stock Skids</b>									<b>7 pt.</b>
		23 x <b>35</b>							5500